LISTING OF CLAIMS

- 1. (currently amended) A method for balancing load among a plurality of mirror servers, wherein a user may select and get access to any one of said plurality of mirror servers within an identical web page, said method comprising the steps of:
- (1) when said web page is accessed by a client, transmitting not only said web page but also a predetermined script to said client;
- (2) automatically executing said script at said client so as to respectively create connections with each of said plurality of mirror servers and measure respective response times; and
- (3) selecting a mirror server having the shortest response time for the user users to access.
- 2. (original) The method according to claim 1, wherein said predetermined script is transmitted together with said web page to said client.
- 3. (original) The method according to claim 1, wherein said automatically executing said script comprises steps of

calling a predetermined engine by said client;

p.4

executing said script by said engine, comprising creating connections with each of said plurality of mirror servers and measuring respective response times.

- 4. (original) The method according to claim 1, wherein said executing said script is performed in a multi-thread manner for said plurality of mirror servers.
- 5. (original) The method according to claim 1, further comprising sending the client information to the mirror servers being connected.
- 6. (original) The method according to claim 5, wherein said client information includes at least one of IP address, domain name, platform name, platform version, and browser type of said client.
- 7. (original) The method according claim 1, wherein said connections are created through proxies.
- 8. (original) The method according to claim 1, wherein said script can be re-started by said user.
- 9. (original) The method according to claim 1, further comprising comparing respective response times of said plurality of mirror servers.
- 10. (currently amended) The method according to claim 9, further comprising the steps of:

p.5

notifying said user of the mirror server having the shortest response time;

receiving user input selecting one of said mirror servers as the selected mirror server; and

getting establishing access for by the user to the selected mirror server of which said user has been notified.

- 11. (currently amended) An apparatus for balancing load among a plurality of mirror servers said apparatus being installed in a client machine and comprising:
- a script analyzer, for analyzing a predetermined script received by a client;
- script executor, for respectively creating connections with each of said plurality of mirror servers and measuring respective response times based on analyzed result from said script analyzer; and
- a selector, for selecting the mirror server having the shortest response time for user users to access.
- 12. (original) The apparatus according to claim 11, wherein said predetermined script is transmitted together with a web page to said client.
- (original) The apparatus according to claim 11, wherein said script executor operates in a multi-thread manner for said plurality of mirror servers.

JP919990263-US1

p.6

- 14. (original) The apparatus according to claim 11, wherein said script executor is additionally adapted to send the client information to the mirror servers being connected.
- 15. (original) The apparatus according to claim 14, wherein said client information includes at least one of IP address, domain name, platform name, platform version, and browser type of said client.
- (original) The apparatus according claim 11, 16. wherein said script executor makes connections with mirror servers through the proxies.
- 17. (original) The apparatus according to claim 11, wherein said script executor can be re-started by said user so as to execute said script.
- 18. (original) The apparatus according to claim 11, wherein said selector comprises a comparator for comparing respective response times of said plurality of mirror servers.
- 19. (original) The apparatus according to claim 18, wherein said selector further comprises:

means for notifying said user of the mirror server having the shortest response time; and

means for receiving selection made by a user on the mirror servers.

JP919990263-US1

- 20. (currently amended) A program storage device readable by machine tangibly embodying a program of instructions executable by the machine to perform a method for balancing load among a plurality of mirror servers, wherein a user may select and get access to any one of said plurality of mirror servers within an identical web page, said method comprising the steps of:
- (1) when said web page is accessed by a client, receiving not only said web page but also a predetermined script at said client;
- (2) automatically executing said script at said client so as to respectively create connections with each of said plurality of mirror servers and measure respective response times; and
- (3) selecting a mirror server having the shortest response time for the user users to access.